


**STIHL 017, 018**

**2000-06**



## CONTENTS

<b>1. Introduction</b>	2	<b>5. Ignition System</b>	20	<b>10. Fuel System</b>	<b>34</b>
<b>2. Specifications</b>	3	5.1 Spark Plug Terminal	20	10.1 Air Filter	34
2.1 Engine	3	5.2 Ignition Module	21	10.2 Filter Housing	34
2.2 Fuel System	3	5.2.1 Ignition Timing	21	10.3 Carburetor	34
2.3 Ignition System	4	5.2.2 Removing and Installing	21	10.3.1 Leakage Testing	34
2.4 Cutting Attachment	4	5.3 Flywheel	22	10.3.2 Removing and Installing	35
2.5 Special Accessories	4	5.4 Ground Wire	23	10.4 Carburetor Adjustment	36
2.5.1 For User	4	5.5 Short Circuit Wire	23	10.5 Pickup Body	36
2.5.2 For Service	4	<b>6. Rewind Starter</b>	24	10.6 Tank Vent	37
2.6 Tightening Torques	5	6.1 General	24	10.7 Fuel Tank	37
<b>3. Clutch, Chain Drive, Chain Brake and Chain Tensioner</b>	6	6.2 Fan Housing	24	10.8 Fuel Hose	38
3.1 Chain Sprocket	6	6.3 Rewind Spring	25	<b>11. Special Servicing Tools and Aids</b>	<b>39</b>
3.2 Chain Catcher	6	6.3.1 Replacing	25	11.1 Special Servicing Tools	39
3.3 Clutch	7	6.3.2 Tensioning	26	11.2 Servicing Aids	40
3.4 Disassembling Chain Brake	8	6.4 Starter Rope, Pawl, Rope Guide Bush	26		
3.5 Assembling Chain Brake	9	<b>7. AV Handle System</b>	27		
3.6 Front Chain Tensioner	10	<b>8. Master Control/ Handle System</b>	28		
3.7 Bar Studs	10	8.1 Switch Shaft	28		
<b>4. Engine</b>	11	8.2 Contact Spring	28		
4.1 Exhaust Muffler	11	8.3 Throttle Trigger/ Interlock Lever	29		
4.2 Leakage Test	11	8.4 Handle Frame	30		
4.2.1 Preparations	12	<b>9. Chain Lubrication</b>	31		
4.2.2 Pressure Test	12	9.1 Oil Pump	31		
4.2.3 Vacuum Test	13	9.2 Worm	32		
4.3 Removing and Installing Engine	14	9.3 Oil Tank	32		
4.4 Oil Seals	15	9.4 Suction Hose/ Pickup Body	33		
4.5 Cylinder	16				
4.6 Piston	17				
4.7 Piston Ring	18				
4.8 Connecting Rod	19				
4.9 Crankshaft	19				

**STIHL®**

© 1999, Andreas Stihl AG & Co., Waiblingen



**Download the full PDF manual instantly.**

**Our customer service e-mail:**

**[aservicemanualpdf@yahoo.com](mailto:aservicemanualpdf@yahoo.com)**